

<110> Hu, Yao Xiong <120> Immunological Methodology for Discerning Human Papillomavir us <130> 146-1-002 <140> 09/828,645 <141> 2001-04-05 <150> US 60/194,796 <151> 2000-04-05 <160>

<170> PatentIn version 3.1 <210> <211> 19 <212> PRT <213> Artificial Sequence

<220> <223> Derived from theE2 early region of HPV-16

<400> 1

[]

4.... 4...4 4.... 4...4

Ľ Li

IJ Ŋ

Asp Ile Cys Asn Thr Met His Tyr Thr Asn Trp Thr His Ile Tyr Ile 10

Cys Glu Glu

<210> 2 <211> 16 <212> PRT <213> Artificial Sequence

<223>

<220>

Derived from the E2 early region of HPV-16

<400>

His Lys Ser Ala Ile Val Thr Leu Thr Tyr Asp Ser Glu Trp Gln Arg

```
<210>
            3
    <211>
            30
    <212>
            PRT
    <213>
            Artificial Sequence
    <220>
    <223>
            Derived from the E7 early region of HPV-16
    <400>
    Pro Thr Leu His Glu Tyr Met Leu Asp Leu Gln Pro Glu Thr Thr Asp
                                                                 15
Ę
    Leu Tyr Cys Tyr Glu Gln Leu Asn Asp Ser Ser Glu Glu Glu
ij
                                       25
Him the Righ day the
    <210>
            4
    <211>
            20
    <212>
            PRT
    <213>
           Artificial Sequence
r.
13
    <220>
CJ
    <223>
            Derived from the E7 early region of HPV-16
U"
<400>
    Cys Asp Ser Thr Leu Arg Leu Cys Val Gln Ser Thr His Val Asp Ile
                                                                 15
    Arg Thr Leu Glu
                 20
    <210>
            5
```

10

15

1

19

PRT

Artificial Sequence

<211><212>

<213>

<220> <223>

<400> 5

5

Page 2

Derived from the E2 early region of HPV-18

Glu Lys Thr Gly Ile Leu Thr Val Thr Tyr His Ser Glu Thr Gln Arg $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Thr Lys Phe

```
<210>
       6
<211>
       19
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223>
       Derived from the E2 early region of HPV-16
<220>
<221>
       MISC FEATURE
<222>
       (3)..(3)
<223>
       Xaa = L-Carboxymethylcysteine
<220>
```

<223> Xaa = L-Carboxymethylcysteine

MISC FEATURE

(17)..(17)

<400> 6

<221>

<222>

Asp Ile Xaa Asn Thr Met His Tyr Thr Asn Trp Thr His Ile Tyr Ile 1 5 10 15

Xaa Glu Glu

```
<210> 7
<211> 30
<212> PRT
<213> Artificial Sequence
<220>
<223> Derived from the E7 early region of HPV-16
```

<220>

```
<222>
           (19)..(19)
    <223>
           Xaa = L-carboxymethylcysteine
    <400>
    Pro Thr Leu His Glu Tyr Met Leu Asp Leu Gln Pro Glu Thr Thr Asp
    Leu Tyr Xaa Tyr Glu Gln Leu Asn Asp Ser Ser Glu Glu Glu
                                     25
    <210>
           8
[]
    <211>
           20
ųĮ
    <212>
           PRT
<213>
           Artificial Sequence
    <220>
    <223>
           Derived from the E7 early region E7 of HPV-16
    <220>
    <221>
           misc feature
    <222>
           (1)..(1)
    <223>
           Xaa = L-carboxymethylcysteine
    <220>
ΠJ
    <221>
           misc_feature
    <222>
           (8)..(8)
    <223>
           Xaa = L-carboxymethylcysteine
    <400>
    Xaa Asp Ser Thr Leu Arg Leu Xaa Val Gln Ser Thr His Val Asp Ile
                                         10
```

<221>

Arg Thr Leu Glu

20

misc feature